



Calore Series

Refractory Wood Burning Fireplaces

Combines Good Looks with True Function

The Forno Bravo Calore Series is a line of the highest quality outdoor fireplaces made using high tech, high density refractory. Unlike outdoor fireplace inserts where the heat goes right up the chimney, these true wood-burning fireplaces are built from material that absorbs and reflects the heat of your fire, providing you with a warm and attractive addition to your outdoor kitchen or outdoor living room. Made by Italy's largest producer of refractory and heating products, these wonderful outdoor fireplace kits are the finest products the Mediterranean has to offer -- a region with a long history of outdoor living.

The Calore fireplaces can be finished to meet your specific architectural style and fireplace mantel choice, and present the warmth and charm of a terra cotta fireplace interior. These outdoor fireplaces can fit perfectly with your outdoor kitchen or outdoor living room -- regardless of your style.

We offer the Calore outdoor fireplace kits in two sizes, to fit your specific requirements, including an ample 29" interior width fireplace, and a larger 33.8" interior wide fireplace. The Calore fireplace can be installed either on a wall, or in a corner. Angled fireplaces and end fireplaces, and smaller models, are also available as a special order.

Each Calore outdoor fireplace kit includes a concrete base, an expertly crafted refractory fireplace surround and floor, a cast iron medallion, that is both attractive and functional, a concrete vent, metal flue and damper. We have paid special attention to the shape of the vent to ensure smooth airflow and proper ventilation.

The fireplace chamber itself is cast as a single piece of refractory, a technique that is more expensive to produce, but also more attractive, more efficient with heat, easier to clean and easier to install than multi-part ovens. The Forno Bravo Calore outdoor fireplace kit gives you the sophistication of a custom-built installation -- without the cost, freeing you to finish your outdoor kitchen or living room with natural stone, tile, marble, stucco or granite.



Forno Bravo Calore90

The Calore Family

	Opening	External	Weight (lbs.)
Casa90	31.4"Wx19.7"	37.7"Wx24.3"Dx47.2"H	460
Casa100	29.1"Wx19.7"H	33.0"Wx19.6"Dx47.2"H	585

Accessories

- Refrax refractory mortar
- Simpson DuraTech chimney





Calore Series

Fireplace Specifications

Calore90

External Dimensions

33.0"W x 19.6 "D x 47.2"H (to the chimney manifold)

Internal Dimensions

29.1"W x 17.7"D x 19.7 "H

Chimney Opening

8" (20cm); fits 6" Simpson Duratech anchor plate

Weight

460 lbs.

Thermal

Maximum power: 10,500 kcal per hour

Wood-burning: 3kg per hour

Optimal thermic power: 3,000 kcal per hour

Includes


7.9" insulating concrete base and vent

Single piece refractory outdoor fireplace back

Cast iron grate

One piece outdoor fireplace floor

Flue and damper (optional for outdoor use)





Calore Series

Fireplace Specifications

Calore100

External Dimensions

37.7"W x 24.3"D x 47.2"H (to the chimney manifold)

Internal Dimensions

31.4"W x 21.2 "D x 19.7 "H

Chimney Opening

12" (30cm); fits 10" DuraTech anchor plate

Weight

585 lbs.

Thermal

Maximum power: 17,500 kcal per hour

Wood-burning: 5kg per hour

Optimal thermic power: 6,000 kcal per hour

Includes

7.9" insulating concrete base and vent

Single piece refractory outdoor fireplace back

Cast iron grate

Two-piece outdoor fireplace floor

Flue and damper (optional for outdoor use)

