


4 3 2

5



Cut rebar and wire mesh short to conceal inside concrete pad;

*CMU stand requires a minimum cement foundation pad of 86"W x 88"D

Slab dimensions:

Minimum 8" wider than oven stand and hearth;

Minimum 10" deeper than oven stand and hearth;

Finished slab should be 2" to 3" above ground level;

Refer to local building codes for recommendations regarding soil compaction, frost line and other considerations. Depending on local conditions, you may have to excavate down 18" or more of topsoil to reach stable substrate.

WARNING:

READ ALL INSTRUCTIONS IN INSTALLATION MANUAL BEFORE INSTALLING AND USING APPLIANCE. FAILURE TO FOLLOW INSTRUCTIONS MAY RESULT IN PROPERTY DAMAGE, BODILY INJURY OR EVEN DEATH.

5-

For more information: www.fornobravo.com https://www.fornobravo.com/PDF/commercial_install.pdf



Intertek

5-1/2" — 2-3/4" Rebar and wire mesh



Napoli 140W Wood Fired Pizza Oven Pad


Architect Drawings

Revision 01/23/17

Sheet:3 of 4

3

-



Use 1/4" mortar, sairset ,or #60 mesh sand to level the floor.

No more than 3/8" filler around landing or door may not fit.

5

WARNING:

READ ALL INSTRUCTIONS IN INSTALLATION MANUAL BEFORE INSTALLING AND USING APPLIANCE. FAILURE TO FOLLOW INSTRUCTIONS MAY RESULT IN PROPERTY DAMAGE. BODILY INJURY OR EVEN DEATH.

For more information: www.fornobravo.com https://www.fornobravo.com/PDF/commercial_install.pdf



Napoli 140W

Pizza Oven Floor Tile Layout Architect Drawings

Revision 01/23/17

Intertek

Sheet:4 of 4

4 3 2